


Dell Vostro 1440/1540/1450/1550

Setup And Features Information

About Warnings

 WARNING: A WARNING indicates a potential for property damage, personal injury, or death.

Front And Back — Vostro 1440/1450




Figure 1. Front View

- 1. camera status light
- 2. camera
- 3. display

- 4. speakers (2)
- 5. USB 2.0 connectors (2)
- 6. optical drive



OR35PJAD1

Regulatory Model: P225, P18P
Regulatory Type:
P225001, P225002, P18P01, P18P02
2011 - 05

File Name: Dell Mini 9 Manual.pdf

Size: 3008 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 15 May 2019, 16:14 PM

Rating: 4.6/5 from 747 votes.

Status: AVAILABLE

Last checked: 11 Minutes ago!

In order to read or download Dell Mini 9 Manual ebook, you need to create a FREE account.

[Download Now!](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Dell Mini 9 Manual . To get started finding Dell Mini 9 Manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

Dell Mini 9 Manual

Inspiron Mini 9 910 Laptop pdf manual download. Get user or pdf manual for your Dell Inspiron Mini 9 910. Dell Inspiron Mini 9 910 PCs Laptop download pdf instruction manual and user guide. Enable or Disable Wireless. Optional time, follow the instructions on the screen. Nhp report, Mission statement vision statement, Report late t4, Dental patient consent form, Law school form. Reload to refresh your session. Reload to refresh your session. The Dell service manual has been posted online and reveals the Mini 9 as a modders paradise. Some of our stories include affiliate links. If you buy something through one of these links, we may earn an affiliate commission. We advised him to purchase the Dell Vostro A90. It's essentially a rebadged Dell Mini 9, a model that has been discontinued, but is well suited for OSX. It's only available with a 1.6GHz Atom processor, 1GB RAM, and 16GB SSD. We also had him purchase a 2GB stick of RAM which is the upper limit supported by the BIOS. He installed a mini pcie bracket and found a sim connector that matched the specs he needed. Apparently they use one that is rare as it uses the first pin to indicate whether or not there's a card loaded. He pulled the mini pcie 3G card from a cheap USB adapter. After soldering it all in place and firing up OS X, he was able to connect, without issue. He says the reception wasn't great, so he'll need to add an antenna. This is similar to the process seen on the Acer aspire one 3G hack. Since you're already in there, you might as well add a GPS while you're at it. With the advent of netbooks, a new target platform has emerged; one that doesn't have an official Apple equivalent. The small subset of models means that it's easy to find someone else that has the same machine as you, but it still takes some forum walking to bring all the pieces together. Gizmodo has done this and compiled a comprehensive guide for the Dell Mini

9. <http://xn--76-6kca8aqc6c.xn--p1ai/pic/userfile/ingersoll-rand-maintenance-manuals.xml>

- **dell mini 9 manual, dell mini 9 service manual, dell mini 9 inspiron 910 service, 1.0, dell mini 9 manual, dell mini 9 service manual, dell mini 9 inspiron 910 service.**

The Mini 9 is a very nice machine and according to Boing Boing Gadgets' chart, one of the most compatible with OSX. They're breaking the EULA, but at least it's not piracy. They had to use both a DVD drive and a USB hard drive because device recognition was flakey. Despite this, the actual install process doesn't appear to be too difficult. They say all the hardware works, "The Mini 9 is a beautiful OS X machine." Check out this Hackit to learn about netbook OSX experiences from other Hack a Day readers. Writing a response post hasn't proven very hard given the number of factual errors in the original. Boing Boing Gadgets points out that the low end of the spectrum that TC post seems to cover are almost impossible to purchase because they're so outdated. Liliputing rightly states that comparing the browsing experience to the iPhone isn't worthwhile since it's entirely a software problem. Laptop goes so far as to recommend the HP Mini 1000 and Samsung NC10 specifically for their keyboard. TechCrunch isn't alone in their opinion; this week Intel stated that using the ultra portable devices was "fine for an hour". TechCrunch is designing a web tablet right now using the collective wisdom of blog commenters. Looks like they're just reboxing a netbook for the prototype. For the price of a smartphone, you're getting a fully capable laptop. The low performance doesn't matter as much since we're running different flavors of Linux that are much lighter than Windows. People running OSX86 are doing it to address a market that Apple doesn't. Do you have one that you adore or are you annoyed by their shortcomings. Models we've covered in the past include the Acer Aspire One, Asus Eee PC, Dell Mini 9, and MSI Wind. You may look at the picture the above and think, "Cake. She just plugged the card in". No, the Acer doesn't ship with the miniPCIe slot or the SIM card

holder.<http://andaautoparts.com/upload/ingersoll-rand-manual-archive.xml>

First you have to solder a right angle miniPCIe connector to the board pads and bridge two others to provide power. The SIM holder was another problem. She wasn't able to find a pin compatible one. The one she installed is mounted to a riser so she could change the wiring order let her know if you can find the correct part. This mod definitely requires some good soldering skills and she warns that even she managed to destroy a SIM in the process. You need a 3G modem that has the SIM card on board. You plug it into the WiFi slot after taping over a few pins and then use a USB WiFi card instead. His idea was to integrate his Logitech wireless mouse receiver internally. He basically added an internal usb port, allowing for future replacements if the mouse should it get broken or upgraded. The final result is completely hidden. There was plenty of space in the case, so there's no bulge at all. While this might not have anything to do with Dell releasing a service manual showing you how to disassemble your brand new Mini 9, we're not gonna fault them for making one available. It's nice to know that the Mini 9 isn't locked down where simple things like replacing the RAM or upgrading to a larger SSD won't void your warranty. Learn more. You may find documents other than just We keep our list of direct Dell Inspiron Mini 9 driver and firmware links uptodate so they are easy to find when you need them. The GUI installation will hang and the PC will never shut down. Disklabel type gpt. Disk identifier 1F30B9A903A5473F8F197DE7C0A3A3B6 Any help would be appreciated. For the smart phone, see Dell Mini 5. The series was introduced in September 2008 amidst the growing popularity of lowcost netbook computers introduced by competitors. It is a 50mm solid state module MO300A with mini PCIe interface. The default Mini 10 model has a 169 widescreen display with a 1024x600 originally 1024x576 or 1366x768 described as 720p HD resolution and an HDMI port. It uses the Poulsbo chipset.

It can be customized with GPS or integrated TV tuner. The service manual displays two fullheight MiniPCIE internal slots, and one halfheight. It is unclear whether the connectors are all in place, but the manual shows one fullheight TV tuner in place. Provided with a driver from Elantech, it can be used for scrolling, 3 button operation, dragging, resizing, rotating pictures and system shortcuts as Start Menu and Explorer on Windows, browser back and forward, minimizing and maximizing windows, window switching, desktop showing and hiding, and running custom commands. The HDMI port is also replaced with a standard VGA connector. The Mini 10v has since been discontinued. Because this model uses a standard Intel platform, Ubuntu or almost any other uptodate Linux distribution can be installed by an end user. This new Dell Mini features the Atom N455 CPU which supports DDR3 memory. As of January 2011, the model has been made available in Asia. The Asian release of the 1018 features 1GB of DDR3 RAM and is shipped with Windows 7 Starter as well as Office 2010 starter. It included parental controls using McAfee's Family Safety. System folders were blocked as well. It was criticized for being slow with Vista. The Dell Inspiron Mini 12 is 1.1 inches thick and weighs 3.2 pounds with sixcell battery, or 2.8 pounds with threecell battery. The outside is shiny black. By using this site, you agree to the Terms of Use and Privacy Policy. Page Count 38 Module Cover. Memory Module. Solidstate Drive. Communication Cards. Keyboard. Palm Rest. Power Button Board. Display. Speaker. Camera Optional. System Board. Microphone. CoinCell Battery. Flashing the BIOS. Notes, Notices, and Cautions. NOTE A NOTE indicates important information that helps you make better use of your computer. NOTICE A NOTICE indicates either potential damage to hardware or loss of data and tells you how to avoid the problem. CAUTION A CAUTION indicates a potential for property damage, personal injury, or death.

<http://www.drupalitalia.org/node/67554>

Information in this document is subject to change without notice. Reproduction of these materials in any manner whatsoever without the written permission of Dell Inc. Trademarks used in this text Dell, the DELL logo, and Inspiron are trademarks of Dell Inc.; Bluetooth is a registered trademark owned by Bluetooth SIG, Inc. Other trademarks and trade names may be used in this document to refer to

either the entities claiming the marks and names or their products. Dell Inc. disclaims any Model PP39S. August 2008 Rev. A00For additional safety bestNOTICE To avoid electrostatic discharge, ground yourself by using a wrist grounding strap or by periodically touching an unpainted metal surface suchBack to Contents PageThis section provides procedures for removing and installing the components in your computer. Unless otherwise noted, each procedure assumes that theThe procedures in this document may require the following toolsNOTE Flash BIOS update program CD ships only in certain countries when you replace the system board.NOTICE To avoid losing data, save and close all open files and exit all open programs before you turn off your computer.Click. ClickIf your computer and attached devices did not automatically turn off when you shutUse the following safety guidelines to help protect your computer from potential damage and to help to ensure your own personal safety.For additional safety best. NOTICE Handle components and cards with care. Do not touch the components or contacts on a card. Hold a card by its edges or by its metalNOTICE Only a certified service technician should perform repairs on your computer. Damage due to servicing that is not authorized by Dell is notNOTICE When you disconnect a cable, pull on its connector or on its pulltab, not on the cable itself. Some cables have connectors with locking tabs; ifAs you pull connectors apart, keep them evenlyAlso, before you connect a cable, ensure that both connectors are correctly oriented and aligned.

<https://oknagoda.com/images/Craftsman-17-Inch-Drill-Press-Manual.pdf>

See the documentation that came with your docking device for instructions.NOTICE To disconnect a network cable, first unplug the cable from your computer and then unplug the cable from the network device.NOTICE To help prevent damage to the system board, you must remove the battery from the battery bay before you service the computer. NOTICE To avoid damage to the computer, use only the battery designed for this particular Dell computer. Do not use batteries designed for other DellBack to Contents PageIf a BIOSupdate program CD is provided with the new system board, flash the BIOS from the CD. If you do not have a BIOSupdate program CD, flash the BIOS from the solidstate drive. NOTE Your computer may or may not ship with an external optical drive. Use an external optical drive or any external storage device for the proceduresNOTE If you use a BIOSupdate program CD to flash the BIOS, set up the computer to boot from a CD before inserting the CD. NOTE Your computer may or may not ship with an external optical drive. Use an external optical drive or any external storage device for the proceduresFollow the instructions that appear on the screen. The computer continues to boot and updates the new BIOS. When the flash update is complete, theThe File Download window appears.The Save In window appears.The file icon appears on your desktop and is titled the same as the downloaded BIOS update file.NOTE Your computer may or may not ship with an external optical drive. Use an external optical drive or any external storage device for the proceduresThe File Download window appears.The Save In window appears.The computer will restart automatically once the BIOS flash is complete. Back to Contents PageFor additional safety best. NOTICE To avoid electrostatic discharge, ground yourself by using a wrist grounding strap or by periodically touching an unpainted metal surface suchIf you ordered a card with Bluetooth wireless technology with your computer, it is already installed.

<http://nonogos.com/images/Craftsman-17.5-Hp-42-Lawn-Tractor-Manual.pdf>

Back to Contents PageFor additional safety best. NOTICE To avoid electrostatic discharge, ground yourself by using a wrist grounding strap or by periodically touching an unpainted metal surface suchFor additional safety best. NOTICE To avoid electrostatic discharge, ground yourself by using a wrist grounding strap or by periodically touching an unpainted metal surface suchNOTICE To help prevent damage to the system board, you must remove the battery from the battery bay before you begin working inside theBack to Contents PageFor additional safety best. NOTICE To avoid electrostatic discharge, ground yourself by using a wrist grounding strap or by periodically touching an unpainted metal surface suchNOTICE To help prevent damage to the system board, you must

remove the battery from the battery bay before you begin working inside the computer. **NOTICE** The display bezel is extremely fragile. Be careful when removing it to prevent damaging the bezel. **NOTE** The Display Panel cables and connectors may differ depending on the Display Panel you ordered. **Back to Contents Page** For more information about the keyboard, see the Dell Technology Guide. For additional safety best. **NOTICE** To avoid electrostatic discharge, ground yourself by using a wrist grounding strap or by periodically touching an unpainted metal surface such as the metal frame of the computer. **NOTICE** To help prevent damage to the system board, you must remove the battery from the battery bay before you begin working inside the computer. **NOTICE** The keycaps on the keyboard are fragile, easily dislodged, and time-consuming to replace. Be careful when removing and handling the keyboard. Failure to do so could result in scratching the display panel. **NOTICE** The securing tabs that secure the keyboard cable to the system board are fragile. To avoid damage to the securing tabs, do not push them. **NOTICE** The keycaps on the keyboard are fragile, easily dislodged, and time-consuming to replace.

Be careful when removing and handling the memory module. **Back to Contents Page** For additional safety best. You can increase your computer memory by replacing the current memory module on the system board with a higher one. Setup Guide for information on the memory supported by your computer. Install only memory modules that are intended for your computer. **NOTE** Memory modules purchased from Dell are covered under your computer warranty. Your computer has a user-accessible SODIMM socket that can be accessed from the bottom of the computer. **NOTICE** To avoid electrostatic discharge, ground yourself by using a wrist grounding strap or by periodically touching an unpainted metal surface such as the metal frame of the computer. The memory module is located at the bottom of the computer. **NOTICE** To prevent damage to the memory module connector, do not use tools to spread the memory module securing clips. **NOTICE** To avoid electrostatic discharge, ground yourself by using a wrist grounding strap or by periodically touching an unpainted metal surface such as the metal frame of the computer. If the module does not fit, no error message indicates this failure. **NOTICE** If the cover is difficult to close, remove the module and reinstall it. Forcing the cover to close may damage your computer. As the computer boots, it detects the additional memory and automatically updates the system configuration information. To confirm the amount of memory installed in the computer. Click. **Back to Contents Page** For additional safety best. **NOTICE** To avoid electrostatic discharge, ground yourself by using a wrist grounding strap or by periodically touching an unpainted metal surface such as the metal frame of the computer. **NOTICE** To help prevent damage to the system board, you must remove the battery from the battery bay before you begin working inside the computer. **NOTE** The analog microphone is not present if you have ordered the optional camera. Instead, you will have digital array microphones with the camera. **Back to Contents Page** Subscriber Identity Modules (SIM) identify users uniquely through an International Mobile Subscriber Identity (IMSI).

For additional safety best. Press the SIM into the slot to release it. When it is partially ejected, remove the SIM from the battery bay. For additional safety best. **NOTICE** To help prevent damage to the system board, you must remove the battery from the battery bay before you begin working inside the computer. **NOTE** Dell does not guarantee compatibility or provide support for MiniCards from sources other than Dell. If you ordered a wireless MiniCard with your computer, the card is already installed. Your computer supports two MiniCard slots. **NOTE** Depending on the configuration of the computer when it was sold, the MiniCard slots may not have MiniCards installed in them. Your computer supports two types of wireless MiniCards. **NOTICE** When the MiniCard is not in the computer, store it in protective antistatic packaging. See the information on protection against electrostatic discharge. **NOTICE** The connectors are keyed to ensure correct insertion. If you feel resistance, check the connectors on the card and on the system board, and make sure they are aligned. **NOTICE** To avoid damage to the MiniCard, never place cables under the card. **NOTICE** Use firm and even pressure to slide the card into place. If you use excessive force, you may damage the connector. For example, the WLAN card connector is labeled WLAN and so is the WWAN card connector. The following table provides the antenna cable color scheme for each MiniCard supported by your computer. Connectors on the MiniCard. Antenna Cable Color Scheme. WWAN 2 antenna

cables Auxiliary WWAN black triangle WLAN 2 or 3 antenna cables. Main WLAN white triangle Auxiliary WLAN black triangle WPAN one antenna cable For more information, see the Dell Technology Guide. NOTE If you are installing a communication card from a source other than Dell, you must install the appropriate drivers and utilities. For more Back to Contents Page For additional safety best.

NOTICE To avoid electrostatic discharge, ground yourself by using a wrist grounding strap or by periodically touching an unpainted metal surface such NOTE The thermal pads may stick to the bottom of the palm rest. Remove the thermal pads from the bottom of the palm rest. Back to Contents Page For additional safety best. NOTICE To avoid electrostatic discharge, ground yourself by using a wrist grounding strap or by periodically touching an unpainted metal surface such Back to Contents Page For additional safety best. NOTICE To avoid electrostatic discharge, ground yourself by using a wrist grounding strap or by periodically touching an unpainted metal surface such Back to Contents Page For additional safety best NOTICE To prevent data loss, turn off your computer see Turning Off Your Computer before removing the solidstate drive. Do not remove the solidstate drive while the computer is on or in Sleep state. NOTICE Solidstate drives are extremely fragile. Exercise care when handling the solidstate drive. NOTE Dell does not guarantee compatibility or provide support for solidstate drives from sources other than Dell. NOTE If you are installing a solidstate drive from a source other than Dell, you need to install an operating system, drivers, and utilities on the new Failure to do so may result in For additional safety best. NOTICE To avoid electrostatic discharge, ground yourself by using a wrist grounding strap or by periodically touching an unpainted metal surface such The system boards BIOS chip contains the service tag, which is also visible on a barcode label at the bottom of the computer. Follow these instructions to enter the service tag Manually Using CD. The replacement kit for the system board includes a CD that provides a utility for transferring the service tag to the replacement system board. NOTE Your computer may or may not ship with an external optical drive.

Use an external optical drive or any external storage device for the procedures NOTICE Handle components and cards by their edges, and avoid touching pins and contacts. NOTE The thermal pads may stick to the bottom of the palm rest. Remove the thermal pads from the bottom of the palm rest. Bridge. NOTICE Before turning on the computer, replace all screws and ensure that no stray screws remain inside the computer. Failure to do so may result in NOTE After you have replaced the system board, enter the computer Service Tag into the BIOS of the replacement system board. Follow the instructions that appear on the screen. To set the keyboard matrix according to your country, see Setting the Keyboard. Matrix. Back to Contents Page File Type Extension pdf. PDF Version 1.4. Linearized No. Page Count 38. Page Layout OneColumn. Page Mode UseNone. Subject Service Manual. Producer Expert HTML to PDF Converter 7.0; modified using iTextSharp 5.1.3 c 1T3XT BVBA. Create Date 20120127 183349. Author Dell Inc. Title Inspiron Mini 9 Service Manual. Productcode inspironmini9. Typecode sm. Typedescription Service Manual. Languagecodes enus. Sectioncode. Sectiondescription. Publishdate 20090127 000000. Expirydate 99990909 000000. Readytocopy false. Futureproductindication No. Categorypathforfutureproducts. Filesize 1103. Modify Date 20131125 1214060600. Creationdate D20120127183349. Moddate D201307082325460500.

<http://www.drupalitalia.org/node/67556>